THRU-BOLT[™] PRO

STUD ANCHOR – SIMPLIFIED DESIGN METHOD



•

TDS | 1007.6





ICCONS® THRU-BOLT[™] PRO is a pre-assembled torque controlled mechanical stud anchor, which when tightened draws the tapered end of the bolt into the expander clip expanding it to create expansion forces against the wall of the hole.

- Heavy duty Carbon steel in Zinc Clear and Galvanised
- Corrosion resistant 316 S/S
- Thru fixing for fast installation
- Anchor Diameter = Hole Diameter (eg M12 anchor, 12mm Hole)
- Engineered Clip designed for high loads and prevents anchor rotation

ZINC CLEAR Internal Part No.	GALVANISED External Part No.	316 STAINLESS STEEL External Part No.	Description	Thread Size	Drill Diameter (mm)	ZINC & GAL Min. Anchor Embedment (mm)	316 S/S Min. Anchor Embedment (mm)	ZINC & GAL Max. Fixture Thickness (mm)	316 S/S Max. Fixture Thickness (mm)	Installation Torque Setting (Nm)	aty	qty
TB06085			6 x 85mm	MC	6	50		26		F	100	1000
TB06120			6x120mm	M6	6	50		61		5	50	500
TB10065	TB10065G	TB10065SS	10 x 65mm	M10	10	45	50	10	5	40	25	250
TB12080	TB12080G	TB12080SS	12 x 80mm	M12	12	60	60	5	З	60	25	250
TB16105	TB16105G	TB16105SS	16 x 105mm	M16	16	80	75	5	10	100	25	100
TB20125	TB20125G	TB20125SS	20 x 125mm	M20	20	100	90	5	10	200	10	60

Note: Galvanised parts are coated using a Sherardised process.

Information contained in this technical document is based on testing by the manufacturer and should be reviewed and approved by a design professional responsible for the given application. Technical data contained in this document **does not** comply with **AS5216**. For safety critical fastening applications designed in accordance with **AS5216**, please refer to the ICCONS[®] website for a complete suite of compliant post-installed chemical and mechanical anchoring products.

ICCONS Serious Connections

•

STUD ANCHOR – SIMPLIFIED DESIGN METHOD

MATERIAL SPECIFICATIONS

Code	Size	Components	Material
Thru-Bolt™ PRO-G	M8 - M20	Wedgebolt Clip Nut Washer	Carbon steel, sherardized ≥ 40 µm A4 stainless steel DIN 934, sherardized ≥ 40 µm DIN 125, DIN 9021, sherardized* ≥ 40 µm
Thru-Bolt™ PRO	M6 - M20	Wedgebolt Clip Nut Washer	Carbon steel, galvanized ≥ 5 µm Carbon steel, sherardized ≥ 15 µm DIN 934, galvanized ≥ 5 µm DIN 125, DIN 9021, galvanized ≥ 5 µm
Thru-Bolt™ PRO-SS	M8 - M20	Wedgebolt Clip Nut Washer	Stainless steel, grade A4 Stainless steel, grade A4 galvanised ≥ 5 µm ISO 4042 Zn5/An/TO Stainless steel, grade A4 with antifriction coating DIN 125, DIN 9021, DIN 440 stainless steel, grade A4
DOMTA available on request	M8 - M20	Tool for ancho hammer drilling	r installation using percussion g machine

* Sherardising is a process of galvanisation of ferrous metal surfaces, also called dry galvanising. The process involves heating the steel up to 500°C in a closed rotating drum that contains metallic zinc dust.

INSTALLATION



1. **Drilling** Use drill in hammer mode. Drill to specified diameter and depth for the required size.



2. **Blow and clean** Clean the drill hole completely of dust and debris. Use blow pump and brush



3. **Install** Insert the anchor in the hole to the specified embedment depth. Use hammer if required; DOMTA tool can be used alternatively. The installation may be done through the fixture baseplate.



4. Apply torque

Apply nominal installation torque using a torque wrench. Once installed verification of the total length of the anchor can be made through the letter on the head.



RECOMMENDED LOADS

THRU-BOLT™ PRO Zinc Clear / Galvanised			Nrec TENSION RECOMMENDED LOADS Vrec SHEAR					
Anchor Size (mm)	Drill Size (mm)	Anchor Embedment Depth (mm)	ZINC CLEAR GALVANISED 20MPa 32MPa 40MPa (kN) (kN) (kN)			ZINC 20MPa (kN)	CLEAR GALVAN 32MPa (KN)	IISED 40MPa (kN)
6	6	50	2.2	2.9	3.4	2.1	2.1	2.1
10	10	45	3.2	4.1	4.5	3.2	4.1	4.5
12	12	60	4.9	6.2	6.9	4.9	6.2	6.9
16	16	80	8.4	10.7	11.9	16.3	16.3	16.3
20	20	100	12.2	15.5	17.3	24.6	25.5	25.5

Note: Load capacities above incorporate a safety factor of 3 for concrete and 2.5 for steel. All loads are representative of a single anchor installed remote from an edge. The above information has been derived from laboratory test results using NATA calibrated equipment.

Limit State Design - Multiply the above loads by 1.8 (Concrete) and 2 (Steel) to determine the Limit State Design capacities.

cimit state pesign - Multiply the above loads by 1.8 (Concrete) and 2 (steel) to determine the cimit state pes

STEEL GOVERNING

THRU-BOLT™ PRO 316 Stainless steel			Nrec TENSION RECOMMENDED LOADS Vrec SHEAR					
Anchor Size (mm)	Drill Size (mm)	Anchor Embedment Depth (mm)	316 STAINLESS STEEL 20MPa 32MPa 40MPa (kN) (kN) (kN)			316 STAINLESS STEEL 20MPa 32MPa 40MPa (kN) (kN) (kN)		
10	10	50	3.4	4.3	4.7	3.4	4.3	4.7
12	12	60	4.9	6.2	6.9	4.9	6.2	6.9
16	16	75	8.0	10.2	11.3	16.3	16.3	16.3
20	20	90	12.0	14.7	16.4	23.4	25.5	25.5

Note: Load capacities above incorporate a safety factor of 3 for concrete and 2.5 for steel. All loads are representative of a single anchor installed remote from an edge. The above information has been derived from laboratory test results using NATA calibrated equipment.

Limit State Design - Multiply the above loads by 1.8 (Concrete) and 2 (Steel) to determine the Limit State Design capacities.

STEEL GOVERNING


COMBINED TENSION & SHEAR LOADING

For combined tension and shear load applications the following equations shall be satisfied;

N _{applied} /	$N_{rec} \le 1$	V _{appli}	_{ed} / V _{rec} ≤ 1	$(N_{applied} / N_{rec}) + (V_{applied} / V_{rec}) \le 1.2$
Where:	N _{applied} N _{rec}	=	Applied Tensic Recommended	
	Vapplied	=	Applied Shear	Load
	V _{rec}	=	Recommended	l Shear Load

BASE MATERIAL THICKNESS

Base material thickness should be 1.5 x hembed, or a minimum of 75mm, always use the greater of the two values.



THRU-BOLT[™] PRO

DESIGN CONDITIONS – SIMPLIFIED DESIGN METHOD

When anchor spacing or edge distances are less than critical distances, Recommended Working Load capacities must be multiplied by the appropriate reduction factors. Linear interpolation is allowed for intermediate anchor spacing and edge distances between critical and minimum distances. If an anchor/anchor group is affected by multiple reduced spacing and edge distances, the spacing and edge reduction factors must be multiplied together to give a total effect on the anchor / anchor group performance.

Spacing Reduction Factors (St + Ss) – tension and shear

_	pacing rice			- () terisit		
	d (mm)	6	10	12	16	20
	h _{embed.}	50	45	60	80	100
	S _{cr} (mm)	100	90	120	160	200
	S _{min.} (mm)	50	45	60	80	100
	45		0.50			
	50	0.50	0.56			
	55	0.55	0.61			
	60	0.60	0.67	0.50		
(S) mm	70	0.70	0.78	0.58		
п (80	0.80	0.89	0.67	0.50	
S	90	0.90	1.00	0.75	0.56	
Spacing	100	1.00		0.83	0.63	0.50
ac	110			0.92	0.69	0.55
Sp	120			1.00	0.75	0.60
	140				0.88	0.70
	160				1.00	0.80
	180					0.90
	200					1.00

Note: To achieve 100% anchor capacity, critical spacing (S_{cr}) is equal to 2 x h_{embed}. Minimum spacing (S_{min}) is equal to h_{embed} at which the anchor achieves 50% of capacity.

	d (mm)	6	10	12	16	20				
	C _{cr} (mm)	72	120	144	192	240				
	C _{min.} (mm)	30	50	60	80	100				
	30	0.75								
_	40	0.81								
E	50	0.87	0.75							
Ω.	60	0.93	0.79	0.75						
е ()	72	1.00	0.83	0.79						
Distance (C)	80		0.86	0.81	0.75					
sta	96		0.91	0.86	0.79					
	100		0.93	0.87	0.80	0.75				
B	120		1.00	0.93	0.84	0.79				
Edge	144			1.00	0.89	0.83				
	192				1.00	0.91				
	240					1.00				


Edge Distance Reduction Factor (Ct) – tension

Note: To achieve 100% anchor capacity, critical edge distance (C_{cr}) is equal to 12d (12 x anchor diameter). Minimum edge distance (C_{min}) is equal to (5d) at which the anchor achieves 75% of capacity.

Edge Distance Reduction Factor (Cs) - shear

	d (mm)	6	10	12	16	20				
	C _{cr} (mm)	72	120	144	192	240				
	C _{min.} (mm)	30	50	60	80	100				
	30	0.35								
	40	0.50								
Distance (C) mm	50	0.66	0.35							
Ú,	60	0.81	0.44	0.35						
)) 	72	1.00	0.55	0.44						
лű	80	1.00	0.63	0.50	0.35					
sta	96		0.78	0.63	0.44					
ä	100		0.81	0.66	0.47	0.35				
B	120		1.00	0.81	0.58	0.44				
Edge	144		1.00	1.00	0.72	0.55				
	192			1.00	1.00	0.78				
	240				1.00	1.00				

Note: To achieve 100% anchor capacity, critical edge distance (C_{cr}) is equal to 12d (12 x anchor diameter). Minimum edge distance (C_{min}) is equal to (5d) at which the anchor achieves 35% of capacity.





TDS | 1007.6

ICCONS® PTY LTD

VICTORIA - HEAD OFFICE 383 Frankston Dandenong Rd, Dandenong South, Vic, 3175 P: **03 9706 4344**

NSW Branch

Unit A, 17 Seddon Street, Bankstown, New South Wales, 2200 P: **02 9791 6869**

OLD Branch

42-44 Nealdon Dr Meadowbrook, Queensland, 4131 P: **07 3200 6455**

FNQ Branch

41 Corporate Cresent Garbutt, Queensland, 4814 P: **07 2111 3453**

S.A Branch

29-31 Weaver Street, Edwardstown, South Australia 5039 P: **08 8234 5535**

W.A. Branch

90 Christable Way, Landsdale, Western Australia, 6065 P: **08 6305 0008**

NORTHERN TERRITORY

Unit 1, 14 Menmuir Street, Winnellie, Northern Territory 0820 P: **08 8947 2758**

NEW ZEALAND

Sesto Fasteners 5E Piermark Drive, Rosedale, Auckland, New Zealand, 0632 P: +64 9415 8564 E: sestofasteners@gmail.com

THAILAND

ICCONS® (Thailand) Co. Ltd. 55 Phetkasem 62/3, Bangkhae, Bangkok 0160 P: **+ 66 2 801 0764** F: **+ 66 2 801 0764** M: **+ 66 8 1 710 8745** E: icconsthailand@iccons.com.au

