
# SELFDRILLING PLUG FOR FIXING ON INSULATION MATERIALS








#### **UITABLE FOR FIXING:**

- lighting
- post boxes
- signs
- electrical applications
- heating / cooling applications
- drain pipe collars

## **BASE MATERIAL:**Insulation panels

#### INSTALLATION

- FOX can be applied with manual or electrical tools.
- Rapid and easy installation, due to inserts with standard recesses (Torx / hexagonal).
- A pilot hole is not necessary in the presence of thin plaster layers, the FOX geometry is able to insert itself into the insulation panels.
- Once the plug is installed, applications are carried out with chipboard or metric screws.
- To prevent infiltrations into the insulation panel, the plug's rim can be sealed with sealant.



#### ADVANTAGES

**Direct fixing onto insulation panels** 


No thermal transmission

Rapid and easy installation without pilot hole






### **FOX** Selfdrilling plug for fixing on insulation materials




 $\label{eq:s} \begin{array}{ll} s & = \mbox{ minimum insertion depth of screw in plug} \\ tfix & = \mbox{ fixing thickness} \end{array}$ 

Lv = minimum screw length









Suitable for fixing

- lighting
- post boxes
- signs
- electrical applications




| Code        | Plug<br>Ø x L | S  | Pkg. |
|-------------|---------------|----|------|
| 61951025050 | 25x50         | 30 | 50   |
| 61951025085 | 25x85         | 40 | 25   |

Hexagonal recess 12 combinable screw: wood Ø8 / metric M8 max loading on XPS: 10 Kg



Suitable for fixing:

- drain pipe collars
- heating / cooling applications



| Code        | Plug<br>Ø x L | S  | Pkg. |
|-------------|---------------|----|------|
| 61951033050 | 33x50         | 50 | 50   |
| 61951033085 | 33x85         | 50 | 25   |

Each box contains a screwdriver bit

