

Bi-Metal Stainless Steel Screw Range

HIGH LEVEL CORROSION RESISTANCE FUSED WITH HARDENED CARBON STEEL SELF-DRILLING TIPS

ICCONS® Bi-metal screws combine the high level corrosion resistance of 300 series stainless steel and the drilling performance of carbon steel self-drilling screws. Each Bi-metal screw has a hardened, self-drilling carbon steel drill point fused to the stainless steel shank. ICCONS® Bi-metal screws are the perfect choice for coastal & industrial applications or if your job is exposed to chemicals.





A2 302 SS BI-METAL

atv

1000


4000

300 SERIES STAINLESS STEEL

Fused to the hardened steel self-drilling point

Self Drilling CSK Head Wing

■ 10 Gauge - 302 (A2) Bi-Metal Stainless Steel







Self Drilling Hex Head - Coarse

■ 10 & 12 Gauge - 304 (A2) Bi-Metal Stainless Steel

304 SS BI-METAL	304 SS. BI-METAL			*#-	→ 	1	
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty
350	SDHXC1016SS	10-16 x 16 Self Drilling Hex	Hex 5/16	2.0 - 4.0	Full	250	4000
350W	SDHXC1016SSW	10-16 x 16 Self Drilling Hex with EPDM Sealing Washer	Hex 5/16	2.0 - 4.0	Full	250	4000
354	SDHXC1220SS	12-14 x 20 Self Drilling Hex	Hex 5/16	3.0 - 6.0	Full	250	4000
354W	SDHXC1220SSW	12-14 x 20 Self Drilling Hex with EPDM Sealing Washer	Hex 5/16	3.0 - 6.0	Full	250	4000





Self Drilling Hex Head - Coarse

■ 14 Gauge - 304 (A2) Bi-Metal Stainless Steel

304 SS BI-METAL	XTERNAL	NEW		* -	→ ←		
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty
360	SDHXC14025SS	14-14 x 25 Self Drilling Hex	Hex 3/8	1.5 -6.0	Full	500	1500
360W	SDHXC14025SSW	14-14 x 25 Self Drilling Hex with EPDM Sealing Washer	Hex 3/8	1.5 -6.0	Full	500	1500
362	SDHXC14050SS	14-14 x 50 Self Drilling Hex	Hex 3/8	1.5 -6.0	Full	1000	n/a
362W	SDHXC14050SSW	14-14 x 50 Self Drilling Hex with EPDM Sealing Washer	Hex 3/8	1.5 -6.0	Full	1000	n/a
364	SDHXC14075SS	14-14 x 75 Self Drilling Hex	Hex 3/8	1.5 -6.0	Full	500	n/a
364W	SDHXC14075SSW	14-14 x 75 Self Drilling Hex with EPDM Sealing Washer	Hex 3/8	1.5 -6.0	Full	500	n/a







SUITABLE APPLICATIONS:

Roofing*
Cladding *
Fixing to Metal
Fixing to aluminium

* Consultation with manufacturer / Roll-formers for fastening recommendations is advised.

SUITABLE ENVIRONMENTS:

Coastal Industrial areas Aggressive environments Wet areas

Self Drilling Pan Head - Coarse

■ 8 Gauge - 304 (A2) Bi-Metal Stainless Steel

304 SS BI-METAL	EXTERNAL	MEM	**************************************	* -	→ ←		
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty
402	SDPH0816SS	8-18 x 16 Self Drilling Pan head	PH2	1.5 -3.0	Full	1000	8000
403	SDPH0819SS	8-18 x 19 Self Drilling Pan head	PH2	1.5 -3.0	Full	1000	8000
404	SDPH0825SS	8-18 x 25 Self Drilling Pan head	PH2	1.5 -3.0	Full	1000	4000


Self Drilling Wafer Head

■ 10 Gauge - 304 (A2) Bi-Metal Stainless Steel

304 SS BI-METAL EXTERNAL			↑ ₽-	→ ←			
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty
380	SDWAC1025SS	10-16 x 25	Wafer / PH2	2.0 - 4.0	Full	250	4000

Self Drilling Mush Head - Low Profile 12 Gauge - 304 (A2) Bi-Metal Stainless Steel EXTERNAL EXTERNAL

			* •		•			
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty	
390	SDMHC1238SS	12-14x38	Mush / SQ2	1.20 - 5.00	Full	500	1500	



Type 17 Stainless Steel Screw Range HIGH LEVEL CORROSION RESISTANCE TYPE 17 SCREWS





Type 17 Bugle Batten 316

■ 14 Gauge - Coarse Thread - 316 (A4) Stainless Steel



316 SS E	EXTERNAL			$\uparrow V$	→ ←	1	
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty
581*	T17BB14075SS-316	14-10 x 75	Bugle / 5mm Int	35	50	500	500
583*	T17BB14100SS-316	14-10×100	Bugle / 5mm Int	35	65	800	800

^{*} Available in TRADE TUBS



Type 17 Bugle Batten 302

■ 14 Gauge - Coarse Thread - 302 (A2) Stainless Steel



302 SS E	XTERNAL	WEIN		* #-	→ : ←		
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty
573	T17BB14050SS	14-10 x 50	Bugle / 5mm Int	30	30	1000	1000
582*	T17BB14075SS	14-10×75	Bugle / 5mm Int	35	50	500	500
584*	T17BB14100SS	14-10×100	Bugle / 5mm Int	35	65	800	800

^{*} Available in TRADE PACK and TRADE TUBS





ICCONS LD.

all Type 17 screws have head identification








Type 17 Hex Head

■ 14 Gauge - 304 (A2) Stainless Steel

304 SS E	EXTERNAL			* #-	→ ←		
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty
684	T17HX14025SS	14-10 x 25 Self Drilling Hex	Hex 5/16	23	Full	250	4000
684W	T17HX14025SSW	14-10 x 25 Self Drilling Hex with EPDM Sealing Washer	Hex 5/16	23	Full	250	4000
686	T17HX14050SS	14-10 x 50 Self Drilling Hex	Hex 5/16	35	Full	250	4000
686W	T17HX14050SSW	14-10 x 50 Self Drilling Hex with EPDM Sealing Washer	Hex 5/16	35	Full	250	4000
COMING SOON	T17HX14075SS	14-10 x 75 Self Drilling Hex	Hex 5/16	35	Full	250	4000

Stainless Steel Decking Screw Range







Self Drilling SPEEDEKZ[™] for Timber only

■ 12 Gauge - Coarse Thread 316 (A4) Stainless Steel

316 SS E	XTERNAL	DRIVER BIT INCLUDED		1	→ : ←		#
IC Find #	Part No.	Description	head	mm	Thread/mm	qty	qty
620	SDEK12050SS-250	12 x 50	CSK / No.2 Sqr	25	Full	250	2250
622	SDEK12065SS-500	12 x 65	CSK / No.2 Sqr	25	Full	250	2250

Note: Pre drilling may be required for some hardwood

Self Drilling SPEEDEKZ™ GP for Timber

■ 10 Gauge - Coarse Thread 304 (A2) Stainless Steel

304 SS E	EXTERNAL	DRIVER BIT INCLUDED		1	→ ←		*
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty
646	SDEKGP10050SS	10g x 50	T20	25	35	250	1500
648	SDEKGP10065SS	10g x 65	T20	25	35	250	1500

Note: Pre drilling may be required for some hardwood







SQUARE DRIVE

Positive non wobble installs



Self-embedding head



Stainless Steel

Knife Thread CSK Decking Screw

■ 10 Gauge - Coarse Thread 304 (A2) Stainless Steel.

Square-knifed threads and one special ring - reduces Drive-in torque by a minimum of 20% compared to standard deck screws, and install time is reduced by Min of 20% compared to Standard deck screws.

	304 SS	XTERNAL	DRIVER BIT INCLUDED		1	→ ←		
IC	C Find #	Part No.	Description	head	mm	thread/mm	qty	qty
6	534	T17DK10050KTSS	10-12 x 50	CSK / No.2 Sqr	25	34	250	1500
6	36	T17DK10065KTSS	10-12 x 65	CSK / No.2 Sqr	25	44	150	900

Note: Pre drilling may be required for some hardwood



General Purpose CSK Decking Screw

■ 10 Gauge - Coarse Thread 304 (A2) Stainless Steel





304 SS E	XTERNAL	THE ORIGINAL ROBERTSON DRIVER BIT INCLUDED			→ : ←		
IC Find #	Part No.	Description	head	mm	thread/mm	qty	qty
642	T17DK10050SS	10-8 x 50	CSK / No.2 Sqr	25	34	250	1500
644	T17DK10065SS	10-8 x 65	CSK / No.2 Sqr	25	44	250	1500

Note: Pre drilling may be required for some hardwood



Trim Head Decking Screw

■ 9 Gauge - Coarse Thread 304 (A2) Stainless Steel









Collated Driver Tool

Strip Ejector Decking Screw

■ 10 Gauge - 305 Stainless Steel

305 SS	EXTERNAL				1 ▼	
IC Find #	Part No.	Description	head	drive	mm	qty
M-128	M-EJ10050SS (TX0200SLP-EJ)	10 x50mm - Strip	CSK	Torx (T25)	25	1000
M-130	M-EJ10065SS (TX0212SLP-EJ)	10 x 65mm - Strip	CSK	Torx (T25)	25	1000







Strip Ejector Decking Screw

■ 10 Gauge - 305 Stainless Steel

305 SS	305 SS EXTERNAL		A		\$₹	
IC Find #	Part No.	Description	head	drive	mm	qty
M-128	M-EJ10050SS (TX0200SLP-EI)	10 x50mm - Strip	CSK	Torx (T25)	25	1000







Coil Ejector Decking Screw

■ 10 Gauge - 305 Stainless Steel

	305 SS			Z T		I	
ı	C Find #	Part No.	Description	head	drive	mm	qty
ı	M-228	MC-EJ10050SS (TX0200SLP-EJ)	10 x50mm - Coil	CSK	Torx (T25)	25	1800
ı	M-230	MC-EJ10065SS (TX0212SLP-EJ)	10 x 65mm - Coil	CSK	Torx (T25)	25	900







■ 14 Gauge - 305 Stainless Steel

305 SS					$\uparrow V$	
IC Find #	Part No.	Description	head	drive	mm	qty
M-284	MC-EJ14075SS (TS4300SFL-EJ)	14 x 75mm - Coil	CSK	No.3 Sq	25	660
M-286	MC-EJ14100SS (TS4400SFL-EJ)	14 x 100mm - Coil	CSK	No.3 Sq	25	660



ICCONS® PTY LTD

VICTORIA - HEAD OFFICE 12-18 Produce Drive, Dandenong South, Vic, 3175

P: 03 9706 4344

F: **03 9768 3329**

E: sales@iccons.com.au

NSW Branch

Unit A, 17 Seddon Street,

Bankstown, New South Wales, 2200

P: 02 9791 6869

F: **02 9790 8404**

E: salesnsw@iccons.com.au

LD Branch

42-44 Nealdon Drive Meadowbrook,

Queensland, 4131

P: 07 3200 6455

F: **07 3299 7548**

E: salesqld@iccons.com.au

S.A Branch

15 Light Terrace. Thebarton, South Australia, 5031

P: 08 8234 5535

F: **08 8354 4689**

E: salessa@iccons.com.au

W.A. Branch

90 Christable Way, Landsdale,

Western Australia, 6065

P: **08 6305 0008**

F: **08 6305 0011**

E: saleswa@iccons.com.au

NORTHERN TERRITORY

Unit 1, 14 Menmuir Street, Winnellie,

Northern Territory 0820

P: **08 8947 2758**

E: mick.sayers@iccons.com.au

NEW ZEALAND

Sesto Fasteners

5E Piermark Road, Albany,

Auckland, New Zealand 0630

P: **+64 027 526 6403**

 ${\sf E:} \textbf{ sest of a steners} \textbf{@gmail.com}$

ICCONS (Thailand) Co. Ltd. 55 Phetkasem 62/3, Bangkhae, Bangkok 0160

P: + 66 2 801 0764

F: + 66 2 801 0764

M: + 66 8 1 710 8745

E: icconsthailand@hotmail.com